



**Government of India
Ministry of Defence
Ordnance Factory Board
10A, S.K. Bose Road
Kolkata - 700001**



CENTRALISED VENDOR REGISTRATION CERTIFICATE

This is to certify that **M/s BALU INDIA, 43-B, KAKATI IND AREA, KAKATI, Belagavi (Belgaum), BELGAUM Karnataka** is registered at Ordnance Factory Board for following Items.

Sl. No.	Factory / Unit	Item Nomenclature	Initial Date of Registration
1	Ordnance Factory Kanpur	Conversion of steel bars into extractor lower as per drg no 2A260281[63]	14-11-2019
2		Conversion of steel bars into extractor upper to drg no 2A260280[63]	14-11-2019
3	Ordnance Factory Muradnagar	FORGING AND MACHINING OF TA LINK (6120100128)[61]	13-03-2020
4		FORGING & MACHINING OF TA GUIDE (6120100129)[61]	13-03-2020
5		FORGING & MACHINING OF TA CLAMP(6120100130)[61]	13-03-2020
6		FORGING AND MACHINING OF TA SHOE (6120100131)[61]	13-03-2020
7	Heavy Vehicle Factory	BRACKET TO 3901010022[39]	12-12-2020
8		STRAP FORGING TO 3901011038[39]	12-12-2020
9		COVER PLATE FORGING TO 3901011042[39]	12-12-2020
10		LOCK FORGING TO 3901011069[39]	12-12-2020
11		HANDLE FORGING TO 3901011072[39]	12-12-2020
12		HANDLE LOCK FORGING TO 3901011073[39]	12-12-2020
13		ROD FORGING TO 3901021012[39]	12-12-2020
14		SUPPORT FORGING TO 3901021076[39]	12-12-2020
15		COLLAR FORGING TO 3901021110[39]	12-12-2020

16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44

THRUST PLATE FORGING TO 3901023024[39]	12-12-2020
BUSHING FORGING TO 3901023030[39]	12-12-2020
GEAR FORGING TO 3901023059[39]	12-12-2020
GEAR FORGING TO 3901023081[39]	12-12-2020
GEAR TO 3901025014[39]	12-12-2020
GEAR FORGING TO 3901028039[39]	12-12-2020
STOPPER TO 3901051006[39]	12-12-2020
LEVER FORGING TO 3901061018[39]	12-12-2020
CLAMP FORGING TO 3901081045[39]	12-12-2020
FLANGE FORGING TO 3901218050[39]	12-12-2020
LOCK TO 3906102149[39]	12-12-2020
CAM TO 3906102294[39]	12-12-2020
BRACKET TO 3906102303[39]	12-12-2020
LEVER TO 3906102399[39]	12-12-2020
ROD TO 3906109061[39]	12-12-2020
HANDLE TO 3906109102[39]	12-12-2020
HANDLE TO 3906109113[39]	12-12-2020
HANDLE LOCK TO 3906110023[39]	12-12-2020
BUSHING TO 3906113046[39]	12-12-2020
FLANGE TO 3906113056[39]	12-12-2020
INSERT TO 3906201165[39]	12-12-2020
INNER DRUM TO 3906202040[39]	12-12-2020
BODY UPPER TO 3906202050[39]	12-12-2020
LEVER TO 3906203114[39]	12-12-2020
GUIDE TO 3906206041[39]	12-12-2020
BUSHING TO 3906206047[39]	12-12-2020
BAR TO 3906206063[39]	12-12-2020
STAND FRONT TO 3906207072[39]	12-12-2020
CLUSTER GEAR TO 3906208026[39]	12-12-2020

45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73

SHAFT PINION TO 3906208037[39]	12-12-2020
BUSHING DRIVING TO 3906208038[39]	12-12-2020
GEAR TO 3906208046[39]	12-12-2020
CLUSTER GEAR TO 3906209070[39]	12-12-2020
TIE ROD TO 3906210067[39]	12-12-2020
WORM TO 3906210117[39]	12-12-2020
WORM WHEEL FORGING TO 3906210119[39]	12-12-2020
CAM WHEEL TO 3906210124[39]	12-12-2020
SPROCKET TO 3906211060[39]	12-12-2020
GEAR TO 3906211061[39]	12-12-2020
LEVER TO 3906211088[39]	12-12-2020
CAM TO 3906211110[39]	12-12-2020
LEVER TO 3906211130[39]	12-12-2020
LEVER TO 3906211136[39]	12-12-2020
STOP TO 3906211157[39]	12-12-2020
STRIP TO 3906214040[39]	12-12-2020
STRIP TO 3906214076[39]	12-12-2020
BRACKET TO 3906214200[39]	12-12-2020
BRACKET TO 3906214203[39]	12-12-2020
BUSH TO 3906214211[39]	12-12-2020
FLANGE TO 3906305643[39]	12-12-2020
FLANGE TO 3906305911[39]	12-12-2020
SHAFT GEAR RH AND LH TO 3906401031[39]	12-12-2020
GEAR AXLE R H TO 3906401075[39]	12-12-2020
GEAR AXLE L H TO 3906401076[39]	12-12-2020
PLUG TO 3906401103[39]	12-12-2020
NUT TO 3906401138[39]	12-12-2020
BRACKET RH TO 3906401140[39]	12-12-2020
BRACKET LH TO 3906401141[39]	12-12-2020

74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102

GEAR LH TO 3906401203[39]	12-12-2020
BUSH TO 3906401206[39]	12-12-2020
SLINGER OIL TO 3906402031[39]	12-12-2020
COVER TO 3906402047[39]	12-12-2020
SLINGER OIL TO 3906402052[39]	12-12-2020
UNION PIPE TO 3906402054[39]	12-12-2020
SPIDER UNIVERSAL TO 3906402082[39]	12-12-2020
LEVER TO 3906403026[39]	12-12-2020
OUTER CUP TO 3906403069[39]	12-12-2020
CONE FRONT TO 3906406029[39]	12-12-2020
CONE TO 3906406030[39]	12-12-2020
NUT TO 3906406042[39]	12-12-2020
NUT TO 3906406191[39]	12-12-2020
THRUST FLANGE TO 3906407034[39]	12-12-2020
GEAR OF DELIVERY PUMP TO 3906407035[39]	12-12-2020
GEAR DRIVE TO 3906407047[39]	12-12-2020
NUT TO 3906411072[39]	12-12-2020
BUSHING INNER TO 3906412022[39]	12-12-2020
BUSHING OUTER TO 3906412023[39]	12-12-2020
COVER TO 3906412042[39]	12-12-2020
BLOCK TO 3906412057[39]	12-12-2020
LIMITER TO 3906416041[39]	12-12-2020
STOP TO 3906416044[39]	12-12-2020
ROD TO 3906417046[39]	12-12-2020
LEVER TO 3906417064[39]	12-12-2020
LEVER TO 3906417065[39]	12-12-2020
LEVER TO 3906417070[39]	12-12-2020
FORK TO 3906417084[39]	12-12-2020
ROD TO 3906419063[39]	12-12-2020

103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131

FORK TO 3906419074[39]	12-12-2020
HUB TO 3906419094[39]	12-12-2020
FORK TO 3906419102[39]	12-12-2020
LEVER TO 3906419119[39]	12-12-2020
LEVER TO 3906419135[39]	12-12-2020
LEVER TO 3906419137[39]	12-12-2020
FORK TO 3906419141[39]	12-12-2020
SHAKLE TO 3906419152[39]	12-12-2020
FORK TO 3906419159[39]	12-12-2020
CLAMP TO 3906419167[39]	12-12-2020
FORK TO 3906419173[39]	12-12-2020
LEVER TO 3906419179[39]	12-12-2020
FORK TO 3906419180[39]	12-12-2020
LATCH TO 3906419195[39]	12-12-2020
GUIDE TO 3906419201[39]	12-12-2020
CARRIER TO 3906419302[39]	12-12-2020
LEVER TO 3906420031[39]	12-12-2020
GUIDE TO 3906420037[39]	12-12-2020
FORK TO 3906420052[39]	12-12-2020
LEVER TO 3906420058[39]	12-12-2020
YOKE TO 3906420065[39]	12-12-2020
GUIDE TO 3906420118[39]	12-12-2020
SHAFT GEAR TO 3906609042[39]	12-12-2020
UPPER BRACKET TO 3906609141[39]	12-12-2020
CARRIAGE TO 3906609286[39]	12-12-2020
PLATE COVER TO 3906801306[39]	12-12-2020
CATCH TO 3906801366[39]	12-12-2020
FLANGE TO 3906804192[39]	12-12-2020
PINION SHAFT TO 3906851109[39]	12-12-2020

132	BUSHING TO 3906861049[39]	12-12-2020
133	THRUST RING TO 3906861050[39]	12-12-2020
134	GEAR TO 3906890059[39]	12-12-2020
135	SHAFT TO 3909849374[39]	12-12-2020
136	HOUSING OIL SEAL TO 3909849388[39]	12-12-2020
137	END COVER TO 3909849396[39]	12-12-2020
138	PLUG TO 3996412035[39]	12-12-2020
139	BOSS TO 3996804112[39]	12-12-2020
140	SUPPORT STEEL 15 OPEN HEARTH TO 3996201128[39]	12-12-2020
141	HANDLE TO 3996211160[39]	12-12-2020
142	KEY TO 3996211167[39]	12-12-2020
143	PLUG TO 3996408020[39]	12-12-2020
144	LEVER R H TO 3996419162[39]	12-12-2020
145	RH EYE FORGING TO 3901010090[39]	14-12-2020
146	LH EYE FORGING TO 3901010092[39]	14-12-2020
147	FLANGE FORGING TO 3901023040[39]	14-12-2020
148	RELEASE RING FORGING TO 3901040031[39]	14-12-2020
149	PLANET PINION Z 15 TO 3901040045[39]	14-12-2020
150	PLANET PINION Z 18 TO 3901040046[39]	14-12-2020
151	GEAR TO 3906202022[39]	14-12-2020
152	BRACKET TO 3906214199[39]	14-12-2020
153	PINION PLANET TO 3906401033[39]	14-12-2020
154	BUSHING TO 3906401037[39]	14-12-2020
155	RELEASE RING III FRICTION CLUTCH TO 3906401065[39]	14-12-2020
156	CHEEK TO 3906401073[39]	14-12-2020
157	WHEEL GEAR L H TO 3906401105[39]	14-12-2020
158	PLANET PINION TO 3906401164[39]	14-12-2020
159	PLANET IV TRAIN TO 3906401166[39]	14-12-2020

160	DISC THRUST TO 3906401197[39]	14-12-2020
161	BUSH BEARING TO 3906401202[39]	14-12-2020
162	FLANGE DRIVING TO 3906402053[39]	14-12-2020
163	COUPLING TO 3906402060[39]	14-12-2020
164	FLANGE DRIVEN TO 3906402064[39]	14-12-2020
165	YOKE REDUCTION GEAR UNIT TO 3906402065[39]	14-12-2020
166	COUPLING TO 3906402066[39]	14-12-2020
167	CAP FILLER TO 3906402076[39]	14-12-2020
168	GEAR BEVEL DRIVEN TO 3906402078[39]	14-12-2020
169	COUPLING DRIVING TO 3906406228[39]	14-12-2020
170	COUPLING TOOTHED TO 3906406229[39]	14-12-2020
171	RING LABYRINTH TO 3906411024[39]	14-12-2020
172	RING TO 3906411026[39]	14-12-2020
173	RACE BEARING TO 3906411032[39]	14-12-2020
174	SCREW TO 3906416020[39]	14-12-2020
175	FLANGE DRAIN HOLE TO 3906802077[39]	14-12-2020
176	STAND TO 3906851034[39]	14-12-2020
177	ADAPTOR TO 3909849066[39]	14-12-2020
178	GEAR SPL 1 TO 3909849380[39]	14-12-2020
179	GEAR SPL 1 TO 3909849402[39]	14-12-2020
180	GEAR SPL 2 TO 3909849406[39]	14-12-2020
181	COVER TO 3996406044[39]	14-12-2020

Registration No. : AAAPC6905C
Initial Date of Registration : 14-11-2019
Downloaded at : 24/09/2024 10:56 am

Conditions of Registration:

1. This Registration has been carried out based on self-declared documents furnished by Vendor.

Registration Authority immediately.

2. ~~Change in Registration Address or contact details of the Firm, this Registration Certificate or Technology should be intimated to the~~
4. Registration will be valid for 05 years with automatic renewal unless cancelled on account of administrative reasons.

This is a system generated certificate. Hence no separate signature is required.

NOTE: It is only a registration of vendor. It does not grant any special supply status to the Vendor. It is for the purpose of participation in Tender process only.