



**Government of India
Ministry of Defence
Ordnance Factory Board
10A, S.K. Bose Road
Kolkata - 700001**



CENTRALISED VENDOR REGISTRATION CERTIFICATE

This is to certify that **M/s CHATTERJI RUBBER MFG CO, 129 A J.K. PAUL ROAD J.K PAUL ROAD KOLKATA West Bengal** is registered at Ordnance Factory Board for following Items.

| Sl. No. | Factory / Unit | Item Nomenclature | Initial Date of Registration |
|---------|----------------------------|---|------------------------------|
| 1 | Ordnance Parachute Factory | ADHESIVE TYPE A & B[AS PER SPECIFICATION] | 27-08-2012 |
| 2 | | CHARGING VALVE COMPLETE EV 55[AS PER SPECIFICATION] | 27-08-2012 |
| 3 | | L TYPE RUBBER STRAP[AS PER SPECIFICATION] | 27-08-2012 |
| 4 | | PATCH OVAL WITH TRAPEZODIAL RING[AS PER SPECIFICATION] | 27-08-2012 |
| 5 | | PATCH ROUND WITH D RING[AS PER SPECIFICATION] | 27-08-2012 |
| 6 | | PATCH RUBBER WITH HANDLE [AS PER SPECIFICATION] | 27-08-2012 |
| 7 | | Patch Rubber with Handle (SS AISI 316 STN. Steel)[As per Specification] | 27-08-2012 |
| 8 | | RUBBER BAND 13 MM WIDTH 122 MM ROUND[AS PER SPECIFICATION] | 27-08-2012 |
| 9 | | RUBBER BAND 13 MM WIDTH 205 MM ROUND[AS PER SPECIFICATION] | 27-08-2012 |
| 10 | | Rubber Band Large[As per Specification] | 27-08-2012 |
| 11 | | Rubber Cover[As per Specification] | 27-08-2012 |
| 12 | | Rubber Wedge[As per Specification] | 27-08-2012 |
| 13 | | RUBBERISED STRAP OF VARIOUS SIZES[AS PER SPECIFICATION] | 27-08-2012 |

| | | | |
|----|---------------------------|---|------------|
| 14 | | RUBBING PROTECTION SRIP FOR FLOAT VARIOUS SIZES[AS PER SPECIFICATION] | 27-08-2012 |
| 15 | | TOE END RUBBERISED[AS PER SPECIFICATION] | 27-08-2012 |
| 16 | | HARD RUBBER 10 MM THICK X 50 MM X 710 MM LONG[9911025783] | 05-09-2018 |
| 17 | | NEOPRENE RUBBER MOULD WITH SHORE HARDNESS 60 5 MM[9911024964] | 05-09-2018 |
| 18 | | AIR VALVE FOR RECEE BOAT[9911037590] | 05-09-2018 |
| 19 | | RUBBER TUBE 14 MM INNER DIA 19 MM OUTER DIA[9911025782] | 05-09-2018 |
| 20 | Ordnance Factory Khamaria | BALL INSERT FRONT & REAR[BALL INSERT, FRONT TO DRG.NO. F1301-115180-C DC NO. 35780-A DT. 22/08/94 SPECN: F1301-910840-C (CQA-4914) DC(I)-33419-A BALL INSERT REAR TO DRG.NO. F1301-036770-C DC NO. 35780-A DT. 22/08/94 SPECN: F1301-902230-C (CQA-4904) DC(I)-33419-A (NEOPRENE) RUBBER SPECN. IND/ME/884(PROV) COMPOUND NO. C-70*] | 17-09-2012 |
| 21 | | SLIPPING RING[DRG.NO. F-1301-152220-B DC NO. 36730-A DTD. 15/01/01 SPECN.: F1301-924320-D (CQA-4919) DC NO. 36730-A DTD. 15/01/01] | 17-09-2012 |
| 22 | | CAP AND LOCK BOTTOM F1301-905060-P (2013998518)[CAP TO DRG.NO. F1301-024351-J DC NO. 36522-A DT. 10/02/99 AND LOCK BOTTOM TO DRG.NO. F1301-029651-F DC NO. 36771-A DT. 31/07/01 SPECN: F1301-905060-P DT. 07/01/91] | 30-12-2015 |
| 23 | | MILL BOARD 800 X 550 X 2.5 MM TH (1421203628)[SPECN: JSS-9310-01: 2014 REVISION NO. 3 DC NO. 5290-ME DT. 16/12/2014 MASS 2675+/- 400g/m2] | 30-12-2015 |
| 24 | | SEALING RING TO DRG.NO. TRD-1-2-2246 (9911357874)[DRG.NO. TRD-1-2-2246] | 30-12-2015 |
| 25 | | WASHER RUBBER (9911356501)[DRG.NO. ARDE-2184 DET-3 (MATERIAL RUBBER EXPANDED TO SPECN: IND/ME/677 (a) GRADE-I MEDIUM DENSITY) DC NO. 2377-ME DT. 05/02/81] | 30-12-2015 |
| 26 | | PAD PART NO 6414645 FOR 84MM SMOKE LF 9911358501 Description : PAD PART NO 6414645 FOR 84MM SMOKE LF 9911358501 [ENR Registration] | 15-07-2021 |

| | | | |
|----|---------------------------|--|------------|
| 27 | | PRIMER GASKET F1301 036530 D LF 2013436143 Description : PRIMER GASKET F1301 036530 D LF 2013436143 [ENR Registration] | 19-07-2021 |
| 28 | | O RING 78X2 LF 2013436144 Description : O RING 78X2 LF 2013436144 [ENR Registration] | 18-08-2021 |
| 29 | | O RING 67 5 X 2 4 lf 2013436145 Description : O RING 67 5 X 2 4 lf 2013436145 [ENR Registration] | 18-08-2021 |
| 30 | Ordnance Factory Itarsi | RUBBERISED BAG (WATER PROF) FOR AKASH BOOSTER PROPELLANT[AS PER DRG.NO.HEMRL/SRP/AK/BST/07.01 AND AS PER ATTACHED SPECIFICATION] | 04-12-2015 |
| 31 | | RUBBERISED BAG FOR PRO.PINAKA[AS PER DRAWING NO.HEMRL/SRP/PIN/06/1,DET NO.3 AND SHEET "1" [AMENDED] ENCLOSURE OF DRAWING NO.HEMRL/SRP/PIN/06/1(6PAGES) AND AS PER ANNEXURE"1" VIDE AU] | 04-12-2015 |
| 32 | | RUBBERISED BAG FOR SPC(5B-29)[AS PER DRG.NO.NAI(J)1001 DT. 01 AUG 07(SET OF SEVENTEEN DRAWINGS) INSPECTION-PINA(J) OR HIS AUTHORISED REP.] | 04-12-2015 |
| 33 | Gun and Shell Factory | CUP INSULATING IN FINISHED CONDITION TO DRG NO.QX-1841 DC(I)NO.36123-A. DT.06/06/96.[AS PER DRG & SPECIFICATION] | 18-05-2016 |
| 34 | | NYLON MOULDED POLE IN F/C TO DRG. NO. QX-1743 DC(I) NO. 36123-A DT.06/06/96[AS PER DRG & SPECIFICATION] | 18-05-2016 |
| 35 | | RING (RUBBER WASHER) IN FINISHED CONDITION TO PT. NO.QX-1492 D.C. 36123-A DT.6/6/96.[AS PER DRG & SPECIFICATION] | 18-05-2016 |
| 36 | Ordnance Factory Bolangir | PAPER 112CM-WIDE, WRAPPING WAXED CRAFT AMMN. [JSS-8135-05-1994, DC NO.3709-ME, DT-10.10.01.] | 30-06-2016 |
| 37 | | PRESSURE PAD TYPE-A ASSEMBLY PART ITX 60 SA DC-35916-A DT.21.02.95 AND PRESSURE PAD TYPE-B DC 35916 A, DTD.21.02.95 [CQA(A) 1817(S) DC 36902-A DT.10.06.2003 RESPECTIVELY (TO BE SUPPLIED BOTH THE ITEM AS A SET, (EACH SET CONTAINS PRESSURE PAD TYPE A = 03 NOS & PRESSURE PAD TYPE B = 1 NO.)] | 30-06-2016 |

| | | |
|----|---|------------|
| 38 | SENSING ELEMENT (EMPTY ASSEMBLY) [DRG. PT NO.ITX-39A DC 35916 A DT.21.02.95 SPECN.CQA(A)1817(s) DC 36789-A, DT.22.10.2001 WITH (1) DUST CUP DRG PT NO.ITX-283 DC 35597-A DT.06.10.93 = 01 NO.(2) FASTNER FOR SAFETY PIN CORD DRG.NO.ITX 284 DC 35916-A DT.21.02.95 = 01 NO. (3) DUST COVER DRG PT NO.ITX-285 DC 35916-A DT.21.02.95 = 02 NOS.] | 30-06-2016 |
| 39 | AMMN.CONTAINER 47 B FOR FUZE 117 MK-20[ISV-515A DC.36647.A Dt.12.07.2013] | 30-06-2016 |
| 40 | CONTAINER 38B [DRG.NO-CIA/AMN/2008 & DRG. PT.NO-ISV-464-A, DC-36787-A, DT.15.10.01, CONSISTING OF (1).BODY DRG.PART NO-ISV-1557, DC-36177-A, DT.28.09.96 (2) LID TO DRG.PART NO ISV-1558,DC-36177-A, DT:28.09.96.(3) RING-A DRG. PART NO.ISV-1559,DC-35710-A. (4) DISC TO DRG. NO. ISV 2017 DC NO.36449-A,DT.30.7.98. (5) DISC TO DRG NO:ISV-2018 DC 36449-A, DT.30.7.98. (6) SLEEVE-A TO DRG. NO-ISV-2229, DC-37239-A, DT-10.12.09 (7) SLEEVE-B TO DRG. NO-ISV-2230, DC-37239-A, DT-10.12.09] | 30-06-2016 |
| 41 | DISC[PART NO.ISV 460GA DC-36064A Dt.18.01.96 NO.07 (28X7.5+/-0.5 THICK) FOR PACKING OF FUZE 117 MK-20.] | 30-06-2016 |
| 42 | DISC 109MM DIA x 6MM THICK WAXED ITEM NO-06 [DRG PART NO.ISV-483 GA. DCI 35983-A DT.29.07.95. MATERIAL: MILL BOARD TO JSS-9310-01-2014 REV-3 DC.5290 ME DTD-16-12-14] | 30-06-2016 |
| 43 | DISC BOX CLOTH [DRG.NO.QX-1466 DCI:31389-A FOR FUZE 117 MK-20.[MATERIAL: ALL WOOL PLAIN ALTERNATIVELY CLOTH COLLAR WHITE TO SPECN:JSS-8305-21-2013 REV-3 , 5205-ME , DT-12.04.14] | 30-06-2016 |
| 44 | DISC MAGAZINE [DRG. NO.QX-211 DC NO-35703-A, DT.03.05.94 FOR FUZE 117 MK-20.] | 30-06-2016 |
| 45 | NORMAL COVER [DRG.3-022483/54-bH- 482/Cd18, DC NO.36134-A, DTD.04.07.96] | 30-06-2016 |
| 46 | PARTITION[PART NO.ISV 227SA DC.35919-A Dt.21.02.95 PACKING OF FUZE 117 MK-20.] | 30-06-2016 |

| | | | |
|----|-----------------------|--|--|
| 47 | | PIECE PACKING BOTTOM DRG.ISV 460GA ITEM NO.05, SIZE:(455X145X20)MM[MATERIAL:EXPANDED POLYSTYRENE FOAM OF AVERAGE DENSITY 18 TO 25 KG/CUBIC METRE FOR PACKING OF FUZE 117 MK-20.] | 30-06-2016 |
| 48 | | PIECE PACKING SIDE [PART NO.ISV 228SA DC.35919A Dt.21.02.95 FOR PACKING OF FUZE 117 MK-20.] | 30-06-2016 |
| 49 | | PIECE PACKING TOP DRG. NO.ISV 460 GADC-36647-A , DT-22.02.2000, ITEM NO.06, SIZE:(460X175X20)MM[MATERIAL : EXPANDED POLYSTYRENE FOAM OF AVERAGE DENSITY 18 TO 25 KG/CUBIC METRE FOR PACKING OF FUZE 117 MK-20.] | 30-06-2016 |
| 50 | | PRESSURE PAD COVER [DRG.PT NO. ITX-280 DC 35264-A DT.04.02.92.] | 30-06-2016 |
| 51 | | WAX PAPER KRAFT CUP DISC TYPE, SIZE: 194 DIA+/- 1MM, THICKNESS-0.18MM)[MATERIAL: PAPER KRAFT AMMN. TO SPECN: JSS-8135-017:2002, DC.NO.3731-ME, 16.05.2002. SUBSTANCE:125+/-5GSM (NOTE-MATERIAL WAXED WITH PARAFFIN WAX SPECIAL TO SPECN:JSS-9160-06,DC-3768-ME, DT.17.06.2003)] | 30-06-2016 |
| 52 | Heavy Vehicle Factory | COLLAR[DRG NO. 432.40.047-4] | 14-07-2016 |
| 53 | | CUP[DRG.NO.172.93.059CB-1A] | 14-07-2016 |
| 54 | | PACKING[DRG.NO.176.31.057-1] | 14-07-2016 |
| 55 | | RUBBER COMPONENTS (GASKETS AND PACKING RINGS) - 114 TYPES[DRG NO. HVF/BLT/GENERIC-L] | 14-07-2016 |
| 56 | | RUBBER SHIELDS (02 TYPES)[DRG NO.1) 172.04.451-2, 2) 172.04.421-1] | 14-07-2016 |
| 57 | | SHIELD[DRG.NO.184.04.035] | 14-07-2016 |
| 58 | | SEALING RING TO DRG 172 12 032 TO 6206111456[10] | 11-09-2021 |
| 59 | | Machine Tool Proto Type Factory | Set of Gaskets as per Annexure GKT1 of Kavach MOD II[71] |
| 60 | Gun Carriage Factory | GASKET SPONGE PLATE TO SPECN IND ME 645 a SIZE 5MM X 19MM X 110MM[90] | 21-11-2019 |

| | | | |
|----|-------------------------|--|------------|
| 61 | | GASKET SPONGE PLATE TO SPECN IND ME 645 a SIZE 5MM X 18MM X 2370MM[90] | 21-11-2019 |
| 62 | | GASKET SPONGE PLATE TO SPECN IND ME 645 a SIZE 5MM X 101MM X 165MM[90] | 21-11-2019 |
| 63 | | GASKET SPONGE PLATE TO SPECN IND 645 a SIZE 5MM X 78MM X 346MM[90] | 21-11-2019 |
| 64 | | GASKET SPONE PLATE TO SPECN IND ME 645 a SIZE 5MM X 162MM X 101MM[90] | 21-11-2019 |
| 65 | Ordnance Factory Chanda | 6044000103 HALF CUP 120MM DRG ISV 1740 PLASTIC[60] | 27-11-2019 |
| 66 | | 6262102100 RING RUB VUL QX 1492 FOR 105MM TKSH[62] | 27-11-2019 |
| 67 | | 6572129006 CONTAINER 38 B WITHOUT FITMENTS[65] | 27-11-2019 |
| 68 | | 6143010220 HALF CUP B 81MM DRG ISV 862 PLASTIC[61] | 27-11-2019 |
| 69 | | 6491338958 PLUG FUZE HOLE 35 MM FOR 81 MM HE[64] | 27-11-2019 |
| 70 | | 6473200461 WASHER NITRILE TO DRG NO 155 1120[64] | 27-11-2019 |
| 71 | | 6580950402 PACKING TO DRG NO 4 24929 3RK33[65] | 27-11-2019 |
| 72 | | 6330600190 RING SEALING DRG.3-016919 DET-52[63] | 27-11-2019 |
| 73 | | 6273200053 GRUMMET ASSLY FOR SHELL 155MM ERFB[62] | 27-11-2019 |
| 74 | | 6273200026 OBTURATOR TO DRG NO CQA 155 1140[62] | 27-11-2019 |
| 75 | | 1003259900 Adhesive Synthetic IND/ME/788(D)[10] | 27-11-2019 |
| 76 | | 6419000014 PLUG TO DRG.NO ISX-393 FOR 125MM HE[64] | 27-11-2019 |
| 77 | Opto Electronic Factory | BUSHING LF 7432414001[74] | 19-08-2020 |
| 78 | | INSERT RM LF 7432414011[74] | 19-08-2020 |
| 79 | | INSERT LF 7432414012[74] | 19-08-2020 |
| 80 | | GASKET LF 7432415001[74] | 19-08-2020 |
| 81 | | STOP RUBBER MOULD LF 7590200002[75] | 19-08-2020 |

| | | | |
|----|----------------------------|--|------------|
| 82 | | SUB ASSEMBLED HEAD REST LF 7592100003[75] | 19-08-2020 |
| 83 | | BUSH LF 9002101045[90] | 19-08-2020 |
| 84 | | GASKET LF 9027101249[90] | 19-08-2020 |
| 85 | | GASKET LF 9927063751[99] | 19-08-2020 |
| 86 | | HEAD REST LF 9927063822[99] | 19-08-2020 |
| 87 | | GASKET LF 9927091007[99] | 19-08-2020 |
| 88 | | BOX GASKET LF 9927094563[99] | 19-08-2020 |
| 89 | Ordnance Factory Ambajhari | CONVERSION OF STEEL CUP TO DRG NO ARDE 2120 DET NO 11 SHEET NO 3 INTO STEEL CUP WITH SEAL TO DRG ARDE 2120 DET NO 10 WITH TEST CERTIFICATE OF OZONE CHAMBER FOR SHELF LIFE OF 08 YEARS[00] | 02-11-2020 |
| 90 | | PLASTIC CONTAINER TO OFAJ DRG NO FS 3045 FOR FIN ASSY OF 84 MM HEAT 751[00] | 14-12-2020 |
| 91 | | SKIRT RING TO OFAJ DRG NO FS 517 A[00] | 23-12-2020 |
| 92 | | MED SUPPORT AS PER ODC MTPF DRG NO 770 28 33 00 FOR 155 MM ELECTRONIC FUZE[00] | 29-07-2021 |
| 93 | | BAKELITE WASHER FOR 155 MM ELECTRONIC FUZE[00] | 29-07-2021 |
| 94 | Small Arms Factory | GUARD HAND UPPER ASSY FOR LMG 5 56 MM IN FINISHED CONDITION[70] | 29-01-2021 |
| 95 | | GRIP TO DS CAT NO 1005 000898 Description : GRIP TO DS CAT NO 1005 000898 [ENR Registration] | 02-06-2021 |
| 96 | Ordnance Factory Kanpur | Plug to drg no 2A26 02 125[63] | 01-04-2021 |
| 97 | | Ring to drg no 2A26 02 122[63] | 01-04-2021 |
| 98 | | Bush to drg no 2A26 02 154[63] | 01-04-2021 |
| 99 | | Lock to drg no 2A26 02 128[63] | 01-04-2021 |

Registration No. : CALC06110G
Initial Date of Registration : 27-08-2012
Downloaded at : 24/09/2024 10:48 am

Conditions of Registration:

1. This Registration has been carried out based on self-declared documents furnished by Vendor.
2. Changes, if any, in Address or constitution of the Firm, major Machinery/Equipment or Technology should be intimated to the Registration Authority immediately.
3. The Registration Authority reserves the right to cancel this Registration Certificate at any time.
4. Registration will be valid for 05 years with automatic renewal unless cancelled on account of administrative reasons.

This is a system generated certificate. Hence no separate signature is required.

NOTE: It is only a registration of vendor. It does not grant any special supply status to the Vendor. It is for the purpose of participation in Tender process only.